

POULVAC[®] CORYZA ABC IC3

Fort Dodge

Haemophilus Paragallinarum Bacterin

Poulvac Coryza ABC contains adjuvanted, inactivated cultures of strains representing *Haemophilus paragallinarum* serovars A, B, and C.

For the vaccination of healthy chickens as an aid in the prevention of clinical signs associated with *Haemophilus paragallinarum* caused by serovars A, B, and C.

DOSE: Inject 0.5 mL (0.5 cc) subcutaneously (in the lower neck region) or intramuscularly using aseptic technique. Vaccinate only healthy chickens 8 weeks of age or older. Revaccinate at least 3 weeks following initial vaccination and no less than 4 weeks prior to onset of lay.

CAUTION: Store in the dark at 2° to 7°C (36° to 45°F). Do not freeze. Warm to 22°C (72°F) and shake well before using. Do not vaccinate within 42 days before slaughter. Use entire contents when first opened.

WARNING: In case of accidental human injection seek immediate medical attention.

For Veterinary Use Only

© 2003 Fort Dodge Animal Health. All Rights Reserved.

Fort Dodge Animal Health

Fort Dodge, Iowa 50501 USA

U.S. Vet. License No. 112

List No.:			
1510211	500 mL	1,000 Doses	10211C

NAC No.: 10031511